

09/9661 286

L Number	Hits	Search Text	DB	Time stamp
1	2415	(fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 memory adj3 address\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:50
2	2	transparent adj memory adj error\$4 adj (correct\$4 or fix\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:26
3	2617	(fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:24
4	4	transparent adj (storage\$1 or memory) with (error\$4 adj (correct\$4 or fix\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:28
5	2	disabl\$6 same (transparent adj (storage\$1 or memory) with (error\$4 adj (correct\$4 or fix\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:44
6	62	physical adj memory adj module\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:47
7	124088	(test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:49
8	875	transparent with (fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) with correct\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:51
9	3	((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) with (transparent with (fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) with correct\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:51
10	2	((((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) with (transparent with (fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) with correct\$6)) with disabl\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:52

11	918	error\$6 with correct\$6 with disabl\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:52
12	12	(error\$6 with correct\$6 with disabl\$6) with ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:54
13	1	((error\$6 with correct\$6 with disabl\$6) with ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$))) with ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 memory adj3 address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:53
14	3	((error\$6 with correct\$6 with disabl\$6) with ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$))) same ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 memory adj3 address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:53
16	82	(error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:00
18	1	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (physical adj memory adj module\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:55
17	8	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:58
15	17	(error\$6 with correct\$6 with disabl\$6) same ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:59
19	14	((error\$6 with correct\$6 with disabl\$6) same ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$))) not (((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or nalis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:59

20	9	((error\$6 with correct\$6 with disabl\$6) same ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$))) not (((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4))) and (7\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
21	1	((error\$6 with correct\$6 with disabl\$6) same ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$))) not (((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 (storage\$1 or memory) adj3 address\$4))) and (36\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
22	4	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (36\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
23	82	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (7\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
24	8	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (7\$/\$.ccls.)) and ((fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) adj3 memory adj3 address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
25	82	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (7\$/\$.ccls.)) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:03
26	6	((error\$6 with correct\$6 with disabl\$6) and ((test\$6 or diagnos\$6 or analyz\$4 or analis\$4) with (memory or storage\$)) and (71\$/\$.ccls.)) and (7\$/\$.ccls.)) and (transparent with (fail\$6 or fault\$6 or error\$6 or problem or dirty or defect\$6 or malfunct\$4) with correct\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:18

27	3219	correct\$6 with (check\$6 adj2 error\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:31
28	103	(correct\$6 with (check\$6 adj2 error\$4)) with processor\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:20
29	2848	processor adj1 state\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:21
30	2	((correct\$6 with (check\$6 adj2 error\$4)) with processor\$) same (processor adj1 state\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:24
31	4	((correct\$6 with (check\$6 adj2 error\$4)) with processor\$) and (processor adj1 state\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:35
32	2905	(transfer\$4 or send\$6) same control\$6 same (processor\$4 near2 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:28
33	164551	correct\$6 near5 (error\$4 or fault\$4 or problem\$4 or fail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:32
35	681	(restor\$4 or gett\$4-back or return\$4 or recover\$4) with (processor adj2 state\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:37
36	2	((((transfer\$4 or send\$6) same control\$6 same (processor\$4 near2 instruction\$1)) same (correct\$6 near5 (error\$4 or fault\$4 or problem\$4 or fail\$4))) same ((restor\$4 or gett\$4-back or return\$4 or recover\$4) with (processor adj2 state\$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:37
37	2	((((transfer\$4 or send\$6) same control\$6 same (processor\$4 near2 instruction\$1)) same (correct\$6 near5 (error\$4 or fault\$4 or problem\$4 or fail\$4))) and ((restor\$4 or gett\$4-back or return\$4 or recover\$4) with (processor adj2 state\$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:40

38	2	((restor\$4 or gett\$4-back or return\$4 or recover\$4) with (processor adj2 state\$)) same (correct\$6 with (check\$6 adj2 error\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:40
39	15	((restor\$4 or gett\$4-back or return\$4 or recover\$4) with (processor adj2 state\$)) and (correct\$6 with (check\$6 adj2 error\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:40
34	15	((transfer\$4 or send\$6) same control\$6 same (processor\$4 near2 instruction\$1)) same (correct\$6 near5 (error\$4 or fault\$4 or problem4 or fail\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:46
40	13	((restor\$4 or gett\$4-back or return\$4 or recover\$4) with (processor adj2 state\$)) and (correct\$6 with (check\$6 adj2 error\$4)) not (((transfer\$4 or send\$6) same control\$6 same (processor\$4 near2 instruction\$1)) same (correct\$6 near5 (error\$4 or fault\$4 or problem4 or fail\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:46